





KTM 390 DUKE



First-in-class colour **TFT display**, provides all the data you need to go faster and sharper with confidence.



Ultra-lightweight, high-performance USD WP forks use the latest **open cartridge technology** for a precise and stable riding experience.



KTM 390 DUKE: TECHNICAL SPECIFICATIONS

ENGINE TYPE

Single Cylinder, 4-Valve,
Liquid Cooled, FI, DOHC

ENGINE CAPACITY : 373.3 cc

POWER : 43.5 PS @ 9,000 rpm

TORQUE : 37 Nm @ 7,000 rpm

BRAKES (FRONT) : 320mm Disc, 4 piston Radially

mounted Fixed Caliper

BRAKES (REAR) 230mm Disc, 1 piston

Floating Caliper

ABS Bosch Dual Channel (with Supermoto mode)

CHASSIS : Split-Steel Trellis Frame

KERB WEIGHT : 167 kg

FUEL TANK CAPACITY 13.5 L

GEARS
6 Speed with Quickshifter +
(Enables clutch-less gear shifting)

KTM 390 DUKE

LIQUID METAL





DARK GALVANO




KTM 250 DUKE



Supermoto Mode restricts ABS control to the front brakes so riders can lock their rear-wheels and slide and drift their way to glory.



The PASC or Power Assist **Slipper Clutch** reduces rear-wheel chatter during quick downshifts so you can tame corners with ease.



The lightweight and precisely crafted side slung exhaust delivers smooth, instant, and beast-like power.



KTM 250 DUKE: TECHNICAL SPECIFICATIONS

ENGINE TYPE

Single Cylinder, 4-Valve,
Liquid Cooled, FI, DOHC

ENGINE CAPACITY

248.8 cc

POWER : 30 PS @ 9,000 rpm

TORQUE 24 Nm @ 7,500 rpm

BRAKES (FRONT)

320mm Disc, 4 piston Radially mounted Fixed Caliper

BRAKES (REAR)

230mm Disc, 1 piston
Floating Caliper

ABS

Bosch Dual Channel
(with Supermoto mode)

CHASSIS : Split-Steel Trellis Frame


KERB WEIGHT 169 kg

FUEL TANK CAPACITY 13.5 L

GEARS : 6 Speed

KTM 250 DUKE

DARK GALVANO





EBONY BLACK



THE LIGHT HEAVYWEIGHT

The all-new KTM 200 DUKE with its predatory design and ultra-compact, single cylinder, 4-stroke engine embodies the true DUKE attitude.



KTM 200 DUKE



KTM 200 DUKE



The **13.5** L steel fuel tank not only provides the rider with perfect knee contact, but also 30% longer range.



One look at this **twin LED headlight** on the KTM 200 Duke, you are hooked by its full-offensive stance. Optimum visibility is guaranteed with that distinctive look.



KTM 200 DUKE: TECHNICAL SPECIFICATIONS

ENGINE TYPESingle Cylinder, 4-Valve, Liquid Cooled, FI, DOHC

ENGINE CAPACITY 199.5 cc

POWER : 25 PS @ 10,000 rpm

TORQUE : 19.3 Nm @ 8,000 rpm

BRAKES (FRONT) 300mm Disc, 4 piston Radially

mounted Fixed Caliper

BRAKES (REAR)

230mm Disc, 1 piston
Floating Caliper

Fluating Gamper

SUPERMOTO ABS

Bosch Dual-Channel ABS

with SUPERMOTO mode

CHASSIS : Split-Steel Trellis Frame

KERB WEIGHT : 159 kg

FUEL TANK CAPACITY : 13.5 L

GEARS : 6 Speed



KTM 200 DUKE

DARK SILVER METALLIC





ELECTRONIC ORANGE



KTM 125 DUKE



The ultra-lightweight, split-steel trellis frame on the KTM 125 Duke enables better manoeuvrability and precision. Zoom through city streets just as easily as you carve corners.




Armed with a race-bred 4-stroke single-cylinder, compact engine, this nimble yet powerful machine packs 14.5 PS of peak power and is just rearing to hit the streets.



KTM 125 DUKE



The high performance USD WP forks offer a well-balanced suspension, performing above expectations under any environment.



The KTM 125 DUKE delivers exceptional, pro-level stopping power with a high-tech BYBRE braking system that works in perfect harmony with the advanced ABS.



KTM 125 DUKE: TECHNICAL SPECIFICATIONS

ENGINE TYPE

Single Cylinder, 4-Valve,
Liquid Cooled, FI, DOHC

ENGINE CAPACITY : 124.7 cc

POWER 14.5 PS @ 9,250 rpm

TORQUE : 12 Nm @ 8,000 rpm

BRAKES (FRONT) : 300mm Disc, 4 piston Radially

mounted Fixed Caliper

BRAKES (REAR) 230mm Disc, 1 piston

Floating Caliper

ABS Bosch Single Channel

CHASSIS : Split-Steel Trellis Frame

KERB WEIGHT 159 kg



KTM 125 DUKE

ELECTRONIC ORANGE





CERAMIC WHITE

FEATURE GRID

FEATURES	390 DUKE	250 DUKE	200 DUKE	125 DUKE
4-VALVE, LIQUID COOLED, FUEL INJECTED, DOHC ENGINE				
RIDE-BY-WIRE	/			
SLIPPER CLUTCH				
QUICKSHIFTER+				
SPLIT STEEL-TRELLIS FRAME				
UPSIDE-DOWN FORK				/
UPSIDE-DOWN FORK (WITH OPEN CARTRIDGE)				
REAR ADJUSTABLE MONOSHOCK				
ABS BY BOSCH				
DUAL-CHANNEL ABS BY BOSCH				
ABS WITH SUPERMOTO BY BOSCH				
TFT INSTRUMENT CLUSTER				
LCD INSTRUMENT CLUSTER	•			
SPLIT LED HEADLAMPS				



WORLD CHAMPIONS: FROM DIRT TO TARMAC

The year 2017 was when KTM entered the premier MotoGPTM category with the legendary KTM RC16, and it has been giving a tough time to all its racing counterparts ever since. From the back of the grid to serious competitors and race-winners, KTM has taken a very short time to bridge the gap — a signature of its blistering speed.

The year 2020 was a historic year for KTM, with Brad Binder winning their first MotoGP TM victory at round three at the FIM Grand Prix World Championship. The Ready to Race mentality helped them secure eight podiums, including three victories with three pole positions and four fastest race laps, all in just one season.











DISCLAIMER

Should not be emulated. The photographs are of professional motorcycle riders riding in closed racing circuits or closed roads. KTM recommends riding motorcycle only while wearing protective clothing and equipment. The accessories and features shown may not be a part of the standard equipment. Specifications mentioned and colors shown are subject to change without prior notice and may vary from country to country. This leaflet is for private communication only.

